



24148CK30E4 NSK Spherical Roller Bearing

Bearing No. 24148CK30E4

Size	240x400x160 mm
Bore Diameter	240 mm
Outer Diameter	400 mm
Width	160 mm
d	240 mm
D	400 mm
B	160 mm
C	160 mm
r min.	4 mm
da min.	258 mm
da max	268 mm
Da min	341 mm
Da max.	382 mm
ra max.	3 mm
Weight	79,5 Kg
Basic dynamic load rating (C)	2130 kN
Basic static load rating (C0)	3800 kN
(Grease) Lubrication Speed	670 r/min
(Oil) Lubrication Speed	850 r/min
Calculation factor (e)	0,38
Calculation factor (Y0)	1,8
Calculation factor (Y2)	2,7
Category	Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A

24148CK30E4 Bearing 2D drawings and 3D CAD models



Luoyang SDZ Machinery Equipment Co., ...

Weight / Kilogram	77.798
Product Group	B04311
Y3	1.8
hidYobi	24148CK30E4
LangID	1
Y1	1.8
D_	400
Y2	2.7
Macha rpm	0
B_	160
da min	258
hidTable	ecat_NSSPHR
Oil rpm	850
Y0	1.8
mass	79.5
GRS rpm	670
ra	3
TSR rpm	750
C0	3800
DE_	360.819
X0	1
Prod_Type3	SRB_CTB_TB
X1	1
X2	0.67
SIR	63
e	0.38
DA_	42
bomp	24148CK30E4
Z_	20
ALP2	5
ALP1	14
ALP3	0



Luoyang SDZ Machinery Equipment Co., ...

D_a max	382
D_a min	341
yobi	24148CK30E4
ALPHA_	0.246
SDM_	320.081
r	4
KBRG	2322
SBRG	41
DI_	279.344