



7222BMPC Bearing 2D drawings and 3D CAD models

4.331 Inch | 110 Millimeter x 7.874 Inch | 200
Millimeter x 1.496 Inch | 38 Millimeter NSK
7222BMPC Angular Contact Ball Bearings

Bearing No. 7222BMPC

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	5.24
EAN	0029176101922
Product Group	B00308
Enclosure	Open
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 3 ISO P6
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Mounting Arrangement	Universal
Inch - Metric	Metric
Long Description	110MM Bore; 200MM Outside Diameter; 38MM Width; Open; Yes Flush Ground; Ball Bearing; Single



Luoyang SDZ Machinery Equipment Co., ...

	Row of Balls; ABEC 3 ISO P6; No Filling Slot; No Snap Ring
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	7222BMPC
Weight / LBS	5.24
D	7.874 Inch 200 Millimeter
B	1.496 Inch 38 Millimeter
d	4.331 Inch 110 Millimeter
bore diameter:	110 mm
operating temperature range:	Maximum of +250 ° F
outside diameter:	200 mm
cage material:	Brass
overall width:	38 mm
outer ring width:	38 mm
contact angle:	40 °
maximum rpm:	3400 RPM
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C0
precision rating:	ABEC 3 (ISO Class 6)
closure type:	Open
fillet radius:	2.1 mm
radial dynamic load capacity:	15700 kgf
series:	72



Luoyang SDZ Machinery Equipment Co., ...

radial static load capacity:

14700 kgf