



4.938 Inch | 125.425 Millimeter x 4.5 Inch | 114.3 Millimeter x 7.126 Inch | 181 Millimeter TIMKEN MSE415BXHSAFQAATL Pillow Block Bearings



MSE415BXHSAFQAATL Bearing 2D drawings and 3D CAD models

Bearing No. MSE415BXHSAFQAATL

Category	Pillow Block Bearings
Inventory	1.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	45.85
EAN	0013992039484
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	MSE415BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Single Row   Medium Duty   With Support   Wide Inner Ring   Axial Float
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



## Luoyang SDZ Machinery Equipment Co., ...

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Weight / LBS	100.98
d	4.938 Inch   125.425 Millimeter
B	7.126 Inch   181 Millimeter
D	4.5 Inch   114.3 Millimeter
Nominal Bolt Center to Center	19.5 Inch   496 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Actual Bolt Center to Center	19.5 Inch   496Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Shaft Size	4-15/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Four-Bolt Plummer Block
Series Type	Medium Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - SAFQ
Bolt Size	4 x 1
Bearing UPC	013992032713
Dimension H	6 in
Dimension H2	13.3 in
Dimension J1	17-23/64 in
Dimension J2	15-5/8 in
Dimension K	3-3/8 in
Dimension L	19-45/64 in
Dimension M	5-7/8 in
Housing Width	7.2 in
Cr - Dynamic Load Rating	118084 lbf



## Luoyang SDZ Machinery Equipment Co., ...

Cor - Static Load Rating	157566 lbf
Maximum Speed	1600 rpm
Note	This product line was formerly known as "Revolvo"