



NU2334EMA Bearing 2D drawings and 3D CAD models

6.693 Inch | 170 Millimeter x 14.173 Inch | 360 Millimeter x 4.724 Inch | 120 Millimeter TIMKEN NU2334EMA Cylindrical Roller Bearings

Bearing No. NU2334EMA

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	61.79
EAN	0053893774152
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity   Plain Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	170MM Bore; Straight Bore Profile; 360MM Outside Diameter; 120MM Width;



## Luoyang SDZ Machinery Equipment Co., ...

	Brass Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium In
Category	Cylindrical Roller Bearings
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Manufacturer Item Number	NU2334EMA
Weight / LBS	136.1
B	4.724 Inch   120 Millimeter
d	6.693 Inch   170 Millimeter
D	14.173 Inch   360 Millimeter
Design Units	METRIC
Bearing Weight	61.9 Kg
Type	NU
Tapered Bore	N
d - Bore	170 mm
D - Outer Diameter	360.000 mm
C - Inner Ring Width	120 mm
B - Outer Ring Width	120 mm
C0 - Static Radial Rating	2110000 N
C - Dynamic Radial Rating <sup>1</sup>	1710000 N
Reference Thermal Speed Rating (Grease)	1100
Reference Thermal Speed Rating (Oil) <sup>2</sup>	1200
Cg - Geometry Factor <sup>3</sup>	0.1482
R - Inner Ring To Clear Radius <sup>4</sup>	3.0 mm
r - Outer Ring To Clear Radius <sup>5</sup>	3.0 mm



## Luoyang SDZ Machinery Equipment Co., ...

da - Inner Ring Backing Diameter	206.000 mm
Da - Outer Ring Backing Diameter	0.000 mm